Chief Secretary's Office, Adelaide, November 5th, 1900.

THE following Returns of Births and Deaths registered in South Australia during the undermentioned period are published for general j. G. Jenkins, Chief Secretary.

Return of Births and Deaths registered in South Australia, exclusive of the Northern Territory, in the Month of September, 1900.

Years	1895.	1896.	1897.	1898.	1899.	Average of Five					1	900.						Total for
*Population, Sept. 1st	348,507	351,640	352,383	358,078	362,131	Years.	122	365,418										1900.
Births	874	807	846	798	808	827	733							6,959				
Rate per cent	.251	-229	`240	-223	.223	_					•2	01					,	
							All Ages.	Under 1 year.	land under 5.	6 and unuer 20	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	+Coroners'	‡Uncerti- fied gauses of Death.	
Deaths -									-									
All causes	264	286	272	319	300	288	299	42	21	26	57	47	85	21	-	33	8	2,799
Rate per cent	.076	.081	:077	.089	.083	_	:082	_	_	_		_	_	_	-	_		
Diseases— I. Specific Febrile or Zymotic II. Parasitic	8 2	28	16	35	30		21	4	3	1	9	4	_	_		_		
III. Dietic	1	1	2	2	3	_	_	-		_	_	-		_	-	_	-	
IV. Constitutional	55	52	50	53	54		53	1	2	6	19	12	13	_	-	-	-	
v. Developmental	39	39	41	39	34		31	6	1	-	-	-	13	11	-			
vi. Local	133	132	138	155	142		162	23	11	11	24	26	57	10	-	-	-	
vII. Violence vIII. Ill-defined and not specified	14	21	16	17	18	_	23	2	4	7	5	3	2	_				
causes	12	11	8	18	18		9	6		1	_	2	_		-1	-		

^{*}The numbers represent the population of South Australia proper, and are exclusive of that of the Northern Territory (European and Chinese), and also of the number of the aborigines.

† Not certified by qualified practitioners.

Causes of Deaths registered in the Month of September, 1900.

		Cause	s of Deaths registered in the Mo	nth of S	septemoer.	1900.		
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Uuder One Year.	One Year and Above.
1				-		Diseases of locomotive sys-		
Measles	-	1	V.			tem	-	1
Scarlet fever	-	-	Premature birth	4		Diseases of integumentary		
Relapsing fever	-		Cyanosis	-		systemVII.	-	1
Influenza	-	9	Congenital defects,,	2	1			
Whooping-cough	-	_	Old ageVI.	_	24	(Accident.) Fracture and contusion		H
Diphtheria	_	2	1 2 1	0	,			- 1
Simple and ill-defined fever	-		Apoplexy	2	$\frac{1}{2}$	Gunshot wound	-	
Enteric fever	-	3	Epilepsy	5		Cut, stab	-	5
Simple cholera	-		Convulsions	.)	_	Burn and scald	_	1
Diarrhœa, dysentery	3	-	Other diseases of brain and	1	22	Poison	_	4
Remittent fever	-	_	nervous system	1	22	Drowning	1	*
Venereal affections	1	_	Diseases of organs of special		}	Otherwise	1	
Erysipelas	-	_	sense	_		(Homicide.)	1	
Pyæmia and septicæmia	-		Diseases of circulatory sys-	2	40	Murder and manslaughter		1
Puerperal fever	_	1	tem		2	(Suicide.)		1
Other zymotic diseases	-	1	Croup	6	18	Gunshot wound		
II.			Bronchitis	3	10	Cut, stab	1	2
Thrush	-	-	Pneumonia	_	10	Poison		2
Worms and other parasitical			Pleurisy	_	1	Drowning		1
diseases	-	_	Other diseases of respiratory	1	1	Hanging		
III.			system	1	1	Hanging		
Privation—want of breast milk	-		Dentition	_		(Execution.)		
Alcoholism IV.	_	_	Quinsy, sore throat	2	3	Hanging		
IV.			Enteritis	2	1	HangingVIII.		
Rheumatic fever and rheuma-		,	Peritonitis	1	8	Dropsy		
tism of heart	_	1	Diseases of liver	1	0	Debility, atrophy, inanition	6	
Rheumatism	-	_	Other diseases of digestive		6	Mortification	_	
Gout	-	15	system	_	0	Tumor		
Cancer, malignant disease	-	17	Diseases of lymphatic sys-		1	Abscess		1
Tabes mesenterica	1	_	tem and of ductless glands		14	Hæmorrhage	_	
Tubercular meningitis	-	4	Diseases of urinary system	-	1.1	Sudden, cause unascertained		
Phthisis	_	27	Diseases of generative sys-			Other ill-defined and not		
Scrofula, tuberculosis	-	-	Accidents of childbirth		6	specified causes		2
Other constitutional diseases	-	3	Accidents of childbirth			specifica causes ,	1	1 2

Return of Births and Deaths registered in the City of Adelaide in the Month of September, 1895-1900.

Years	1695.	1896.	1897.	1898.	1899.	Average of Five	1900.									Total for		
Population, Jan. 1st	40,167	40,406	40,384	40,475	40,637	9,637 Years. 41,005										1900.		
Births	87	81	95	86	85	87	78								778			
Rate per cent	.216	•200	•235	•212	•209	_					•1	.90						
Deaths—							All Ages.	Under 1 year.	land under 5.	5 and under 20.	20 and under 40.	40 and under 60.	60 and under 80.	80 and upwards.	Not stated.	*Coroner's inquiries.	+Uncerti- fied sauses of death.	
All causes	53	64	73	75	72	67	70	4	2	6	14	14	26	4	_	4	_	594
Rate per cent	•132	•158	·181	·185	.177	_	·171		_	_		_		_	_	_	_	
Diseases— 1. Specific Febrile or Zymotic . 11. Parasitic	1 1 15 7 27 	8 — 15 7 24 5	3 1 20 10 36 3		6 -1 18 4 36 3		5 — 17 3 39 6		1 - 1 - -		4 - 3 - 6 1	- - 4 - 9 1	- 7 1 16 2					

^{*} Including inquests.

Causes of Deaths registered in the Month of September, 1900.

			water by Death 1 og tater out the fi	1	Sopremeer	, 1000.	,	
	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year and Above
I.						Accidents of childbirth		1
Measles		1	Scrofula, tuberculosis	_	_	Diseases of locomotive system	-	_
Scarlet fever	-	1 -	Other constitutional diseases		3	Diseases of integumentary		
Relapsing fever	_	_				system	_	-
Influenza	_	1	V.			TTTT //		
Whooping-cough	_	_	Premature birth	-	-	VII. (Accident.)		
Diphtheria	-	_	Cyanosis	_	_	Fracture and contusion	_	1
Simple and ill-defined fever Enteric fever	-	$\frac{}{2}$	Congenital defects	_	3	Gunshot wound		-
Simple cholera	_	4	Old age		0	Cut, stab		2
Diarrhœa, dysentery	_		VI.			Poison	_	4
Remittent fever	_	_	Apoplexy		4	Drowning	_	
Venereal affections	-		Epilepsy		1	Suffocation	1	
Erysipelas		_	Convulsions	_	_	Otherwise	_	_
Pyæmia and septicæmia			Other diseases of brain and			(Homicide.)		
Puerperal fever		_	nervous system	2	1	Murder and manslaughter	_	1
Other zymotic diseases	_	1	Diseases of organs of special			(Suicide.)		
**			sense	_	7.0	Gunshot wound	-	
II.			Diseases of circulatory system	_	13	Cut, stab	_	1
Thrush	_		Croup	1	1	Poison	_	_
Worms and other parasitical			Bronchitis		$\frac{1}{2}$	Drowning	_	_
diseases		7	Pleurisy			Hanging Otherwise	_	_
III.			Other diseases of respiratory			(Execution)	_	_
Privation—want of breast milk			system			Hanging	_	
Alcoholism		_	Dentition	_		22000		
			Quinsy, sore throat		_	VIII.		
IV.			Enteritis	-	_	Dropsy	_	_
Rheumatic fever and rheuma-			Peritonitis			Debility, atrophy, inanition		_
tism of heart		_	Diseases of liver	-	4	Mortification	_	_
Rheumatism	_	_	Other diseases of digestive			Tumor		_
Gout	-	_	system	-	1	Abscess	-	
Cancer, malignant disease	_	6	Diseases of lymphatic sys-		,	Hæmorrhage	_	
Tabes mesenterica			tem and of ductless glands	_	1 7	Sudden, cause unascertained	_	_
Tubercular meningitis	_	7	Diseases of urinary system	_	7	Other ill-defined and not		
Phthisis	_	1	Diseases of generative system			specified causes	_	_
	1	,			,			1

⁺ Not certified by qualified practitioners.

Return of Births and Deaths registered in each Ward of the City of Adelaide, exclusive of Deaths in Public Institutions, of persons not usually resident in the city, in the month of September, 1900.

	Total.	Hindmarsh.	Gawler.	Grey.	Young.	Robe.	MacDonnell.
Area in acres	3,632	573	659	552	718	480	650
Estimated population January 1st	41,005	6,164	7,164	8,826	10,239	3,657	4,955
Persons to an acre	11.3	10.8	10.9	16.0	14.3	7.6	7.6
Births Male Female	78 33 45	9 4 5	15 6 9	19 8 11	21 8 13	8 4 4	6 3 3
Deaths	44 23 21	11 8 3	6 2 4	10 4 6	10 6 4	4 2 2	3 1 2
CLASSES. I. Specific Febrile or Zymotic Diseases. II. Parasitic Diseases III. Dietic Diseases. IV. Constitutional Diseases V. Developmental Diseases VI. Local Diseases VII. Violence. VIII. Ill-defined and not specified causes	12 3 23 2	1 -5 -4 1	1 1 1 3 1		1 - 3 - 6 -	2	
Percentage of Deaths to population of each Ward	.107	·178	084	·113	.098	•109	.061

Causes of Deaths registered in the Month of September, 1900.

	Under One Year.	One Year and Above.		Under One Year.	One Year and Above.		Under One Year.	One Year
I.			Phthisis	_	5	Accidents of childbirth	_	1
Measles	-	1	Scrofula, tuberculosis	_		Diseases of locomotive system	-	-
Scarlet fever	-	_	Other constitutional diseases.	_	1	Diseases of integumentary		
Relapsing fever	_	_	77			system	_	_
Influenza	-		V.			VII.		1
Whooping-cough	_	_	Premature birth	_	-	(Accident.)	1	
Diphtheria	_	_	Cyanosis	_		Fracture and contusion	_	_
Simple and ill-defined fever	-	_	Congenital defects	_	3	Gunshot wound	-	
Enteric fever	_	2	Old age	-	0	Cut, stab		_
Simple cholera	-		VI.			Burn and scald		
Diarrhœa, dysentery	_	-			2	Poison	_	
Remittent fever	_	-	Apoplexy	_		Drowning	_	
Venereal affections	_	_	Epilepsy	_	1	Suffocation	1	
Erysipelas	_	_	Convulsions		_	Otherwise	-	-
Pyæmia and septicæmia	_			2	1	(Homicide.)		
Puerperal fever	_		nervous system	2	1	Murder and manslaughter	_	
Other zymotic diseases	_	1	Diseases of organs of special			(Suicide.)		
			sense		- 8	Gunshot wound	-	_
II.			Diseases of circulatory system	_	0	Cut, stab		1
Thrush	_	_	Croup	1	1	Poison		
Worms and other parasitical			Bronchitis	1	1	Drowning		_
diseases	_	_	Pneumonia		1	Hanging	_	_
III.			Pleurisy Other diseases of respiratory			Otherwise	-	_
Privation — Want of breast			system	_	1 _ 1	(Execution)	1	
milk		-	Dentition		_	Hanging	_	_
	_		Quinsy, sore throat	_		VIII.		,
Alcoholism			Enteritis	_	_	Dropsy	_	-
IV.			Peritonitis	_	_	Debility, atrophy, inanition	_	_
Rheumatic fever and rheu-			Diseases of liver	_	1	Mortification	_	
		_	Other diseases of digestive			Tumor	-	_
matism of heart	_	_	system	_	_	Abscess	-	
Rheumatism	_		Diseases of lymphatic system			Hæmorrhage		_
Gout		5	and of ductless glands		_	Sudden, cause unascertained.	_	
Cancer, malignant disease	_	_	Diseases of urinary system	_	4	Other ill-defined and not spe-		
Tabes mesenterica	_	1	Diseases of diffially system Diseases of generative system			cified causes	_	_
Tubercular meningitis	-	1	Discuses of Sellerante physical					

SEPTEMBER, 1900.

The highest temperature in the shade at the Adelaide Observatory during the month was 76°.7 on the 19th; and the lowest, 37°.9 n the 4th. The mean temperature of the month was 54°.8.

The greatest range of the thermometer in one day, 33°8, took place on the 30th, viz., from a maximum of 75°3 to a minimum of 41°5; the lowest range, 11°2, on the 21st.

The mean height of the barometer was 30 000 inches; the maximum, 30 304 inches, occurred on the 28th; and the minimum, 29 540 inches on the 11th.

Observatory, Adelaide, October 4th, 1900.

C. Todd, Observer.

Births and Deaths registered in the undermentioned Corporate Towns in the Quarter ended September 30th, 1900.

	Estimated Population Jan. 1st, 1900		tered du Quarter		The Deaths registered in the Quarter include Deaths from—											
Corporate Towns.			Deat	hs.				1		D: 1	Diseases of		Diseases o			
	Jan. 150, 1500	Births.	Total.	Under One Year.	Measles.	Scarlet Fever.	Diph- theria.	Whooping Cough.	Former	Diarrhœa and Dysentery.	tory.	Phthisis.	Circula- tory System.			
Adelaide	41,005	240	192	20	1		2		2	_	18	24	26			
Hindmarsh	9,770	58	10	1			1	_	-		2	1	1			
Thebarton	4,718	32	21	5			1	_	_	1	3	2	3			
Port Adelaide*	5,609	31	18	4	_				_	-	4	3	1			
Semaphore	8,469	60	27	2				_	-		5	4	6			
Glenelg	4,112	11	4	-	_	_	_	_			_					
Brighton	978	5	2	1	-	_			_	_	1		1			
Unley	13,746	103	49	9	-		1	2	_	1	5	4	5			
St. Peters	6,725	41	8	4	_		-		_	_	1	2	1			
Kensington and Norwood	13,693	89	27	2	_		_		_	_	3	3	3			
Gawler	2,352	17	4		-		-				1					
Kapunda	2,266	16	5	2	-		-			-	1					
Burra	2,661	28	8.	1			_	_	1	_	2		3			
Clare	1,087	4	8	2		_		_		-	-		3			
Jamestown	1,271	8	8	2			_		1		3		0			
Port Augusta	1,566	7	3	_							6	1	5			
Port Pirie	8,000	52	23	7		_		_	_	_	0	1	,,			
Kadina	1,865	16	5	3	-	-	-		_	_	1		1			
Moonta	1,771	15	4	2	-	-		_		_	0	_	1			
Wallaroo	2,014	23	10	3	-		_		-		2					
Goolwa	769	5			-	_	-		_	_	_	1				
Strathalbyn	941	5	1	-	_	_		_	-	-	2	$\frac{1}{2}$	2			
Mount Gambier	3,069	35	13	1	-	-	_	-			2 2	2	1			
Petersburg	2,130	30	5	1	-	_	_	-		_	2		1			

^{*} Exclusive of the additions to its area made since the census.

GEO. H. AYLIFFE, Registrar-General.